

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.11.2024

Version number 110.52 (replaces version 110.51)

Revision: 12.11.2024

#### \* SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### - 1.1 Product identifier

- Trade name **STAUBCO® Heat N / WS**

- Article number: 1002852423003

- UFI: 6CCD-20MR-G00V-DGG4

##### - 1.2 Relevant identified uses of the substance or mixture and uses advised against

###### - Restrictions on use:

Restrictions on use according to REGULATION (EC) No 1907/2006 ANNEX XVII apply to this product (see section 15).

##### - 1.3 Details of the supplier of the safety data sheet

###### - Manufacturer/Supplier:

Staub & Co. - Silbermann GmbH

Ostendstraße 124

D-90482 Nürnberg

Tel.: 0911 / 5482 - 0

Fax: 0911-5482 -1119

Mail: info@staub-silbermann.de

###### - Informing department:

Abteilung HSE

e-Mail: sdb@staub-silbermann.de

##### - 1.4 Emergency telephone number:

This is an English-language document designed for the European region. For the emergency number and other country-specific data, please refer to the specific national versions of this safety data sheet.

Counselling Centre for Poisoning, Mainz

Tel. (+49) 61 31 / 19 240.

#### \* SECTION 2: Hazards identification

##### - 2.1 Classification of the substance or mixture

###### - Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

##### - 2.2 Label elements

###### - Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

###### - Hazard pictograms



GHS07 GHS08

###### - Signal word Warning

###### - Hazard-determining components of labelling:

ethane-1,2-diol

###### - Hazard statements

H302 Harmful if swallowed.

H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

(Contd. on page 2)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.11.2024

Version number 110.52 (replaces version 110.51)

Revision: 12.11.2024

Trade name STAUBCO® Heat N / WS

(Contd. of page 1)

**- Precautionary statements**

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
 P264 Wash thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.  
 P330 Rinse mouth.  
 P314 Get medical advice/attention if you feel unwell.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**- Additional information:**

According to the current state of knowledge, no synthetic polymer microparticles > 0.01% are contained.

**- 2.3 Other hazards****- Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Determination of endocrine-disrupting properties** Not applicable.

### SECTION 3: Composition/information on ingredients

**- 3.2 Mixtures****- Description:**

Mixture of the following substances with non-hazardous additions.

Mixture of the following substances:

**- Dangerous components:**

|                           |   |         |
|---------------------------|---|---------|
| CAS: 107-21-1             | ethane-1,2-diol                                     | 50-100% |
| EINECS: 203-473-3         | STOT RE 2, H373; Acute Tox. 4, H302                 |         |
| Reg.nr.: 01-2119456816-28 | substance with a Community workplace exposure limit |         |

**- SVHC**

This preparation does not contain any substances of very high concern (SVHC) in a concentration of  $\geq 0.1$  % according to Regulation (EC) 1907/2006, Article 57.

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

**- 4.1 Description of first aid measures****- General advice:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation** Supply fresh air; consult doctor in case of symptoms.

**- After skin contact**

Remove contaminated clothing immediately. Wash affected areas with plenty of water und soap. If irritation continues, contact a doctor.

**- After eye contact**

Rinse immediately opened eye for several minutes under running water. Then consult doctor.

Use eye protection.

- **After swallowing** Do not induce vomiting; instantly call for medical help.

**- 4.2 Most important symptoms and effects, both acute and delayed**

Maintain good diuresis; monitor renal function, electrolyte and acid-base balance. Early administration of ethanol may counteract the toxic effects of ethylene glycol (metabolic acidosis and renal damage). Supportive measures required. Treatment depends on the doctor's assessment and the patient's condition.

(Contd. on page 3)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.11.2024

Version number 110.52 (replaces version 110.51)

Revision: 12.11.2024

Trade name STAUBCO® Heat N / WS

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **5.2 Special hazards arising from the substance or mixture**  
Can be released in case of fire:  
carbon monoxide (CO)  
carbon dioxide (CO<sub>2</sub>)
- **5.3 Advice for firefighters**
- **Protective equipment:**  
See section 8.  
Wear full protective suit with self-contained breathing apparatus.
- **Additional information**  
Cool endangered containers in the vicinity with a water spray jet.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep off unprotected persons  
Avoid eye and skin contact.  
Ensure adequate ventilation
- **6.2 Environmental precautions:**  
Do not allow to enter drainage system, surface or ground water.  
In case of release of larger quantities, inform competent authorities.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.  
Dispose of contaminated material as waste according to point 13.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/extraction at the workplace.  
Avoid contact with eyes or skin.  
Prevent formation of aerosols.  
Avoid contact and inhalation of sprays/vapours.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**  
Store in cool, dry conditions in well sealed containers.  
Protect against direct sunlight, other sources of heat and ignition.

(Contd. on page 4)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.11.2024

Version number 110.52 (replaces version 110.51)

Revision: 12.11.2024

Trade name STAUBCO® Heat N / WS

(Contd. of page 3)

**- Requirements to be met by storerooms and containers:**

Observe laws and regulations on the storage and use of substances hazardous to water.

Store in the delivery container or in PE containers.

**- Information about storage in one common storage facility:**

According to guidelines of the VbF, flammable liquids should not be stored together.

Store away from oxidising agents.

**- Further information about storage conditions:**

Attention should be paid to the guidelines of the VbF and the related technical regulations of the TRbF

**- 7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

**- 8.1 Control parameters****- Components with critical values that require monitoring at the workplace:****107-21-1 ethane-1,2-diol**AGW (Germany) Long-term value: 26 mg/m<sup>3</sup>, 10 ppm  
2(l);DFG, EU, H, Y, 11IOELV (EU) Short-term value: 104 mg/m<sup>3</sup>, 40 ppm  
Long-term value: 52 mg/m<sup>3</sup>, 20 ppm  
Skin**- DNELs****107-21-1 ethane-1,2-diol**

Dermal DNEL (worker) 106 mg/kg bw/day (Long-term, systemic effects)

DNEL (population) 53 mg/kg bw/day (Long-term, systemic effects)

Inhalative DNEL (worker) 35 mg/m<sup>3</sup> (Long-term, local effects)DNEL (population) 7 mg/m<sup>3</sup> (Long-term, local effects)**- PNECs****107-21-1 ethane-1,2-diol**

PNEC water 10 mg/l (intermittent releases)

10 mg/l (freshwater)

1 mg/l (marine water)

PNEC sediment 20,9 mg/kg dw (freshwater)

PNEC sediment 37 mg/kg (freshwater)

3,7 mg/kg (marine water)

PNEC STP 199,5 mg/l (sewage plant)

PNEC soil 1,53 mg/kg (soil)

**- Additional information:** The lists that were valid during the compilation were used as basis.**- 8.2 Exposure controls****- Appropriate engineering controls** No further data; see section 7.**- Individual protection measures, such as personal protective equipment****- General protective and hygienic measures**

Keep away from food, beverages and fodder.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Gases, fumes and aerosols should not be inhaled.

**- Breathing equipment:** Use breathing protection in case of insufficient ventilation.**- Recommended filter device for short term use:** Combination filter A-P2

(Contd. on page 5)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.11.2024

Version number 110.52 (replaces version 110.51)

Revision: 12.11.2024

Trade name STAUBCO® Heat N / WS

(Contd. of page 4)

**- Hand protection**

Protective gloves (EN 374).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**- Material of gloves**

Butyl rubber, BR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**- Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**- Eye/face protection** Safety glasses**- Body protection:**

Standard protective work clothing. Chemical resistant safety shoes or boots. If skin contact may occur, wear impermeable protective clothing for this solution.

## SECTION 9: Physical and chemical properties

**- 9.1 Information on basic physical and chemical properties****- General Information****- Physical state**

Fluid

**- Colour:**

according product description

**- Smell:**

Characteristic

**- Odour threshold:**

Not determined.

**- Melting point/freezing point:**

-12,4 °C

**- Boiling point or initial boiling point and boiling range**

Not determined

**- Flammability**

Not applicable.

**- Lower and upper explosion limit****- Lower:**

3 Vol %

**- Upper:**

43 Vol %

**- Flash point:**

&gt;61 °C

**- Auto-ignition temperature:**

398 °C

**- Decomposition temperature:**

Not determined.

**- pH at 20 °C**

~8,5

**- pH-value:****- Viscosity:****- Kinematic viscosity**

Not determined.

**- dynamic at 20 °C:**

21 mPas

**- Solubility****- Water:**

Fully miscible

**- Partition coefficient n-octanol/water (log value)**

Not determined.

**- Vapour pressure at 20 °C:**

0,08 hPa (107-21-1 ethane-1,2-diol)

**- Density and/or relative density****- Density at 20 °C**1,11 g/cm<sup>3</sup>**- Relative density**

Not determined.

(Contd. on page 6)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.11.2024

Version number 110.52 (replaces version 110.51)

Revision: 12.11.2024

Trade name STAUBCO® Heat N / WS

(Contd. of page 5)

|  |                                      |
|--|--------------------------------------|
| - Vapour density   | Not determined.                      |
| <b>- 9.2 Other information</b>   |                                      |
| <b>- Appearance:</b>   |                                      |
| - Form:  | Fluid                                |
| <b>- Important information on protection of health and environment, and on safety.</b> |                                      |
| - Self-inflammability:   | Product is not selfigniting.         |
| - Explosive properties:  | Product is not potentially explosive |
| - Molecular weight   | 62,07 g/mol                          |
| - Evaporation rate   | Not determined.                      |
| <b>- Information with regard to physical hazard classes</b>                            |                                      |
| - Explosives   | Void                                 |
| - Flammable gases  | Void                                 |
| - Aerosols   | Void                                 |
| - Oxidising gases  | Void                                 |
| - Gases under pressure   | Void                                 |
| - Flammable liquids  | Void                                 |
| - Flammable solids   | Void                                 |
| - Self-reactive substances and mixtures  | Void                                 |
| - Pyrophoric liquids   | Void                                 |
| - Pyrophoric solids  | Void                                 |
| - Self-heating substances and mixtures   | Void                                 |
| - Substances and mixtures, which emit flammable gases in contact with water            | Void                                 |
| - Oxidising liquids  | Void                                 |
| - Oxidising solids   | Void                                 |
| - Organic peroxides  | Void                                 |
| - Corrosive to metals  | Void                                 |
| - Desensitised explosives  | Void                                 |

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with oxidizing agents
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**  
Oxidising agent  
Acids
- **10.6 Hazardous decomposition products:**  
Formation of carbon monoxide and carbon dioxide in case of fire.

— EUE —

(Contd. on page 7)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.11.2024

Version number 110.52 (replaces version 110.51)

Revision: 12.11.2024

Trade name STAUBCO® Heat N / WS

(Contd. of page 6)

### SECTION 11: Toxicological information

#### - 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- **Acute toxicity**  
Harmful if swallowed.

#### - LD/LC50 values that are relevant for classification:

##### 107-21-1 ethane-1,2-diol

|            |       |  |
|------------|-------|--|
| Dermal     | LD50  | >3500 mg/kg (mouse)<br>9530 mg/kg (rabbit) |
| Inhalative | LC 50 | >2,5 mg/l (rat) (6 h)                      |

#### - Primary irritant effect:

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Slightly irritant, but not an irritant according to EU directives.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**  
May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

#### - 11.2 Information on other hazards

##### - Endocrine disrupting properties

None of the ingredients is listed.

### SECTION 12: Ecological information

#### - 12.1 Toxicity

##### - Aquatic toxicity:

##### 107-21-1 ethane-1,2-diol

|              |  |
|--------------|--|
| LC 50 / 96 h | 18000 mg/l (Oncorhynchus mykiss)<br>72860 mg/l (Pimephales promelas) |
| EC 50 / 48 h | >100 mg/l (Daphnia magna)<br>>10000 mg/l (Algae)                     |
| EC 50 / 96 h | 6500-13000 mg/l (Selenastrum capricornutum)                          |

#### - 12.2 Persistence and degradability

##### 107-21-1 ethane-1,2-diol

Biodegradability 90-100 % (OECD 301A) (10 h, OECD 301 A / ISO 7827)

#### - 12.3 Bioaccumulative potential

No further relevant information available.

#### - 12.4 Mobility in soil

No further relevant information available.

#### - 12.5 Results of PBT and vPvB assessment

- **PBT**: Not applicable.- **vPvB**: Not applicable.

#### - 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)

EUE

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.11.2024

Version number 110.52 (replaces version 110.51)

Revision: 12.11.2024

Trade name STAUBCO® Heat N / WS

(Contd. of page 7)

**- 12.7 Other adverse effects****- Respiratory inhibition of communal activated sludge EC 20 (mg/l according to ISO 8192 B):****107-21-1 ethane-1,2-diol**

EC 20 / 0,5 h &gt;1995 mg/l (activated sludge (method OECD 209))

**- Additional ecological information:****- General notes:** Water hazard class 1 (Self-assessment): slightly hazardous for water.**SECTION 13: Disposal considerations****- 13.1 Waste treatment methods**

The note below refers to the product left as it is and not to further processed products. When mixed with other products, other disposal routes may be required; if in doubt, consult the supplier of the product or the local authority.

**- Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

**- Waste disposal key number:**

Since 1 January 1999, the waste code numbers have not only been product-related but essentially application-related. The waste code number valid for the application can be taken from the European Waste Catalogue.

**- Uncleaned packagings:** Disposal in accordance with official regulations.**- Recommendation:**

Empty containers completely and send them cleaned for reconditioning or recycling. Dispose of containers only in consultation with local authorities.

**L e v e l o p m e n t :** After optimal emptying, immediately return to the supplier tightly closed and without cleaning. Make sure that no foreign matter gets into the packaging!

Other containers: Empty completely and clean for reconditioning or reprocessing.

**- Recommended cleaning agent:** Water, if necessary with cleaning agent.**SECTION 14: Transport information****- 14.1 UN number or ID number****- ADR/RID, IMDG, IATA**

Void

**- 14.2 UN proper shipping name****- ADR/RID, IMDG, IATA**

Void

**- 14.3 Transport hazard class(es)****- ADR/RID, IMDG, IATA****- Class**

Void

**- 14.4 Packing group****- ADR/RID, IMDG, IATA**

Void

**- 14.5 Environmental hazards:**

Not applicable.

**- Marine pollutant:**

No

**- 14.6 Special precautions for user**

Not applicable.

**- 14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

**- Transport/Additional information:**

Not dangerous according to the above specifications.

(Contd. on page 9)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.11.2024

Version number 110.52 (replaces version 110.51)

Revision: 12.11.2024

Trade name STAUBCO® Heat N / WS

(Contd. of page 8)

|                          |      |
|--------------------------|------|
| - UN "Model Regulation": | Void |
|--------------------------|------|

### \* SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

- **Hazard pictograms**



GHS07 GHS08

- **Signal word** Warning

- **Hazard-determining components of labelling:**

ethane-1,2-diol

- **Hazard statements**

H302 Harmful if swallowed.

H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure:  
Oral.

- **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**

None of the ingredients is listed.

- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148**

- **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

- **National regulations**

- **Information about limitation of use:**

Employment restrictions concerning young persons must be observed.

(Contd. on page 10)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.11.2024

Version number 110.52 (replaces version 110.51)

Revision: 12.11.2024

Trade name STAUBCO® Heat N / WS

(Contd. of page 9)

**- Other regulations, limitations and prohibitive regulations****- Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is listed.

**- 15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

**- Registration-Number****- Relevant phrases**

Complete wording of hazard statements and risk phrases (H-phrases) mentioned in section 3. These phrases refer to the constituents. The labelling for this product is stated in section 2.

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

**- Department issuing data specification sheet:**

Stockmeier Chemie GmbH &amp; Co.KG

Am Stadtholz 37

D - 3 3 6 0 9

B i e l e f e l d

Tel.: +49 521 3037-381

E-Mail: ehs-bielefeld@stockmeier.de

**- Date of previous version:** 07.11.2024**- Version number of previous version:** 110.51**- Abbreviations and acronyms:**

LEV: Local Exhaust Ventilation

RPE: Respiratory Protective Equipment

RCR: Risk Characterisation Ratio (RCR= PEC/PNEC)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

ISO: International Organisation for Standardisation

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

SVHC: Substance of Very High Concern

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

**- \* Data compared to the previous version altered.**